

The Pixt Club The Tixt Club The Pixt Club The Pixt Club The Pixt Club The Pixt Club The Tixt Club Th GCSE Biology

This resource is strictly for the use of member schools for as long as they remain members of The PiXL Club. It may not be copied, sold nor transferred to a third party or used by the school after membership ceases. Until such time it may be freely used within the member school.

All opinions and contributions are those of the authors. The contents of this resource are not connected with nor endorsed by any other company, organisation or institution.



Communicable diseases

- Communicable (infectious) diseases
- Viral diseases
- Bacterial diseases
- Fungal diseases
- Protist diseases
- Human defence systems
- Vaccination
- Antibiotics and painkillers
- Discovery and development of drugs


Monoclonal Antibodies (Biology HT only)

- Producing monoclonal antibodies
- Uses of monoclonal antibodies

Plant Disease (Biology only)

- Detection & identification of plant diseases
- Plant defence responses

Overview Infection and Response





LearnIT! KnowIT!

Infection and Response Part 1

- Communicable diseases
- Viral diseases
- Bacterial diseases
- Fungal diseases
- Protist diseases





Infection and Response part 1 – Infectious diseases

Pathogens are micro organisms that cause infectious disease.

Pathogens may infect plants or animals and can be spread by direct contact, by water or by air.

Pathogens depend on the host to provide the suitable conditions and nutrients that they need to grow and reproduce.

Pathogens can be bacteria, viruses, fungi or protists.

Viral diseases

- Viruses may reproduce rapidly
- Viruses live and reproduce inside cells causing damage

Bacterial diseases

- Bacteria may reproduce rapidly
- Bacteria may produce toxins that damage tissues and make us feel ill



Infection and Response part 1 – Infectious diseases

Pathogens may infect plants or animals and can be spread by direct contact (D), by water (W) or by air (A).













Infection and Response part 1 – Viral diseases

Examples of Viral Diseases

Measles

- Symptoms of fever and a red skin rash
- Can be fatal if complications occur
- Spread by inhaling droplets containing the virus from sneezes and cough
- It is controlled by vaccinating young children

HIV

- Initially causes a flu-like illness and spread by sexual contact or exchange of body fluids such as blood when drug users share needles
- Unless HIV is successfully controlled with antiretroviral drugs, the virus will attack the body's immune cells
- Late stage HIV or AIDS occurs when the body's immune system can no longer deal with other infections or cancers

Tobacco Mosaic virus

- Common plant virus which enters through a damaged epidermis
- Seen as a distinct mosaic discolouration pattern on the leaves
- Affects growth as photosynthesis cannot occur as efficiently
- Control by removing affected leaves and destroying pests which caused initial epidermal damage







Infection and Response part 1 – Bacterial diseases

Examples of Bacterial Diseases

Salmonella

- Salmonella food poisoning is spread by bacteria ingested in food or on food prepared in unhygienic conditions.
- Bacteria secrete toxins and cause symptoms including fever, abdominal cramps, diarrhoea and vomiting.
- In the UK, poultry are vaccinated against salmonella to control the spread of the disease.

Gonorrhoea

- Sexually transmitted disease (STD) caused by bacteria.
- Causes a thick yellow or green discharge from the penis or vagina and pain when urinating.
- Can be controlled with **antibiotics** or barrier methods of contraception such as a **condom**.
- Easily treated with the antibiotic penicillin until many resistant bacterial strains were found.







Example of a Fungal Disease

Rose Black Spot



- Purple or black spots develop on leaves
- Leaves often turn yellow and drop off
- Photosynthesis is reduced. Growth is affected as a result
- Fungal spores spread by wind or water
- Treat by removing infected leaves and burning them
- Spray with fungicide (a pesticide which is used to kill fungus)

Example of a Protist Disease

Malaria

- The malaria causing protist is spread by mosquitoes feeding on infected blood and then biting a human
- Mosquitoes are vectors as they pass on malaria but do not suffer themselves
- Symptoms include recurrent fever and malaria can be fatal
- Control the spread by preventing mosquitoes breeding and use mosquito nets to avoid being bitten





Infection and Response part 1 – Types of diseases

Disease	Symptom	Method of transmission	Control spread of disease by:	Caused by:
Malaria	Recurrent fever	By a vector from an infected person	Preventing breeding of mosquitoes or use of a net to prevent being bitten	Protist
Tobacco Mosaic Virus	Mosaic pattern on leaves	Enters via wounds in epidermis caused by pests	Remove infected leaves and control pests which are damaging leaves	Virus
Measles	Fever Red skin rash	Droplet infection from sneezes and coughs	Child Vaccination	Virus
Gonorrhoea	Green discharge from penis or vagina	Direct sexual contact or body fluids	Use of a condom and treat infected person with antibiotics	Bacteria
Rose Black Spot	Purple black spots on leaves	Spores carried via wind or water	Remove infected leaves and spray with pesticide	Fungus
Salmonella	Fever, cramp, vomiting, diarrhoea	Food prepared in unhygienic conditions or not cooked properly	Improve food hygiene, wash hands, vaccinate poultry, cook food thoroughly	Bacteria


better hope - brighter future



QuestionIT!

Communicable diseases
Part 1a

- Viral diseases
- Bacterial diseases
- Fungal diseases
- Protist diseases





Infection and Response part 1 – QuestionIT

- 1. What is the definition of a pathogen?
- 2. List four types of micro-organism which can act as pathogens.
- 3. Copy and complete the table to describe one similarity and one difference between how bacteria and viruses act as pathogens.

Pathogen	Similarity	Difference
Bacteria		
Virus		

- 4. What do pathogens need from the host organism?
- 5. Complete the sentences:

HIV can be successfully controlled with _____drugs. If the immune system is badly damaged then ____ may develop.



Infection and Response part 1 – QuestionIT

6. Copy and complete the table for each disease.

Disease	Symptom	Method of transmission	Control spread of disease by:	Caused by:
Measles	Fever Red skin rash		Child Vaccination	
	Fever, cramp, vomiting, diarrhoea	Food prepared in unhygienic conditions or not cooked properly		Bacteria
Rose Black Spot	Purple black spots on leaves		Remove infected leaves and spray with pesticide	
Gonorrhoea		Direct sexual contact or body fluid exchange	Use of a condom and treat infected person with antibiotics	Bacteria
	Recurrent fever	By a vector from an infected person	Preventing breeding of mosquitoes or use of a net to prevent being bitten	
Tobacco Mosaic Virus	Mosaic pattern on leaves			Virus



Infection and Response part 1 – QuestionIT

7. Look at this photograph.

Suggest how pathogens could be transferred in this situation. What could people do to reduce the spread of pathogens?





AnswerIT!

Communicable diseases Part 1



- Bacterial diseases
- Fungal diseases
- Protist diseases





Infection and Response part 1 – AnswerIT

1. What is the definition of a pathogen?

Micro-organisms which cause infectious disease in animals & plants.

2. List four types of micro-organism which can act as pathogens.

Bacteria, Virus, Protist, Fungus.

3. Copy and complete the table to describe one similarity and one difference between how bacteria and viruses act as pathogens.

Pathogen	Similarity	Difference
Bacteria	Reproduce rapidly inside the body	Produce toxins that damage tissues
Virus	Reproduce rapidly inside the body	Live and reproduce inside cells causing cell damage



Infection and Response – AnswerIT

4. What do pathogens need from the host organism?

Suitable conditions and nutrition to be able to grow and reproduce.

5. Complete the sentences:

HIV can be successfully controlled with <u>antiretroviral</u> drugs. If the immune system is badly damaged then <u>AIDS</u> may develop.



Infection and Response part 1 – AnswerIT

6. Copy and complete the table for each disease.

Disease	Symptom	Method of transmission	Control spread by:	Caused by:
Measles	Fever Red skin rash	Droplet infection from sneezes and coughs	Child Vaccination	Virus
Salmonella	Fever, cramp, vomiting, diarrhoea	Food prepared in unhygienic conditions or not cooked properly	Improve food hygiene, wash hands, vaccinate poultry, cook food thoroughly	Bacteria
Rose Black Spot	Purple black spots on leaves	Spores carried via wind/water	Remove infected leaves and spray with pesticide	Fungus
Gonorrhoea	Green discharge from penis or vagina	Direct sexual contact or body fluids	Use of a condom and treat infected person with antibiotics	Bacteria
Malaria	Recurrent fever	By a vector from an infected person	Preventing breeding of mosquitoes or use of a net to prevent being bitten	Protist
Tobacco Mosaic Virus	Mosaic pattern on leaves	wounds in epidermis caused by pests	Remove infected leaves and control pests which are damaging leaves	Virus

better hope - brighter future



Infection and Response part 1 – AnswerIT

7. Look at this photograph.

Suggest how pathogens could be transferred in this situation.

What could people do to reduce the spread of pathogens?

Direct contact by touching a contaminated surface.
Droplet infection if someone sneezes or coughs in the lift.
Air - if fungal spores are present.



Could reduce the spread by: Hand over mouth if coughing and then washing. Use a tissue if sneezing and then dispose of it and wash hands. Washing hands with soap after visiting the toilet. Wear a face mask.



LearnIT! KnowIT!

Infection and Response Part 1b

- Human defence systems
- Vaccination
- Antibiotics and painkillers
- Discovery and development of drugs





Infection and Response part 1 – Human Defence Systems



trachea bronchus

Nasal hairs, sticky mucus and cilia prevent pathogens entering through the nostrils.

The human body has several non specific ways of defending itself from pathogens getting in.



Respiratory system is

lined with mucus to trap

dust and pathogens. Cilia

move the mucus upwards

to be swallowed.

video



Stomach acid (pH1) kills most ingested pathogens

Hard to penetrate waterproof barrier. Glands secrete oil which kill microbes.



Infection and Response part 1 – Human Defence Systems

Sometimes pathogens gain entry to the body.

The immune system takes over to destroy them.

The white blood cells are part of the immune system. Pathogens are identified by white blood cells because they have different surface proteins. We call these surface proteins antigens.

White blood cells act in 3 ways to defend the body:

- 1. White blood cells (called **phagocytes**) engulf the pathogens and digest them. This is called **phagocytosis**. <u>Video phagocytes</u>
- 2. White blood cells (called lymphocytes) identify the antigen on the pathogen. They make specific antibodies to destroy the pathogens. This can take time and so an infection may occur. If a person is infected again by the same pathogen, the white blood cells make the antibodies much faster. <u>Video lymphocytes</u>
- 3. Bacteria may produce toxin (poison). White blood cells release specific antitoxins to neutralise the effect of the toxin.



Infection and Response part 1 – Vaccination

Communicable diseases can be dangerous leading to epidemics or pandemics. Vaccination can be used to enhance the immune system to reduce the chances of this happening. A vaccine contains a small amount of dead or inactive form of the pathogen that can be introduced into the body.



Lymphocyte



pathogen



White blood cells detect pathogens in the vaccine.



Antibodies are released into the blood.




Pathogens are destroyed by antibodies.



Infection and Response part 1 – Vaccination

If the body becomes re-infected with the same pathogen then the white blood cells are prepared.

The white blood cells can respond much more quickly and make more of the right type of antibodies much more quickly.



This means that the person is **unlikely to suffer** the symptoms of the harmful disease.

Infection has been prevented by enhancing the immune system.



Infection and Response part 1 – Antibiotics

An antibiotic is a drug that helps to cure a bacterial disease by killing the infective bacteria inside the body.

Different bacterial infections need a different antibiotic.



Antibiotics cannot be used to treat viral pathogens.

Penicillin is a well known antibiotic medicine.

Using antibiotics has greatly reduced deaths.


It is difficult to develop drugs to kill viruses without harming body tissues because viruses live and reproduce inside cells.



Infection and Response part 1 – Antibiotics

Bacteria can mutate.

Sometimes this makes them **resistant** to antibiotic drugs. The **mutated** bacteria are **not killed**. Increasing numbers of different bacteria are becoming resistant and this is **of concern**.





Infection and Response part 1 — Painkillers

A doctor will **not prescribe** antibiotics for a **viral infection** as they do not work.

Antibiotics can only be used for bacterial infections

Painkillers, steroids or anti inflammatory medicines can be used to relieve the symptoms of viral infections. Symptoms may include: fever, muscle ache, headache or a runny nose.



Painkillers do not kill pathogens.



QuestionIT!

Infection and Response Part 1b

- Human defence systems
- Vaccination
- Antibiotics and painkillers





Infection and Response – QuestionIT

- 1. Name and describe 3 ways the human body defends against the entry of pathogens.
- 2. Draw a series of pictures to show how white blood cells carry out phagocytosis.
- 3. What is an antigen?
- 4. Why will the antibody produced for measles not be effective in other diseases?
- 5. Why are dead or inactive pathogens used in a vaccine?
- 6. What happens if the live pathogen invades the body after being vaccinated?
- 7. What is an antibiotic and what is it used for?



Infection and Response – QuestionIT

- 8. Why is there a growing concern about bacterial resistance to antibiotics?
- 9. Which one of these statements is true?

Painkillers are used to treat the symptoms of a disease and kill the pathogens which cause it.

Painkillers are used to kill the pathogens causing a disease.

Painkillers are used to treat the symptoms of a disease but do not kill the pathogens.



AnswerIT!

Infection and Response Part 1b

- Human defence systems
- Vaccination
- Antibiotics and painkillers





Infection and Response – AnswerIT

- 1. Name and describe 3 ways the human body defends against the entry of pathogens. Skin barrier, nose nasal hairs, mucus and cilia, trachea & bronchi mucus to catch, cilia to remove from lungs, stomach HCl acid kills.
- 2. Draw a series of pictures to show how white blood cells carry out phagocytosis. Diagram of white blood cell moving towards and engulfing foreign body and then adding digestive enzymes.
- 3. What is an antigen? A protein on the surface of a pathogen.
- 4. Why will the antibody produced for measles not be effective in other diseases? Antibody has a specific shape which fits with a specific antigen.



5. Why are dead or inactive pathogens used in a vaccine?

To stimulate white blood cells to make antibodies without causing the disease.

6. What happens if the live pathogen invades the body after being vaccinated?

White blood cells able to respond much faster and produce more antibodies quicker to destroy the pathogens so the person doesn't suffer the symptoms of the disease.

7. What is an antibiotic and what is it used for?

Kills bacteria inside the body without harming human cells.

Infection and Response – AnswerIT

- 8. Why is there a growing concern about bacterial resistance to antibiotics? The resistant bacteria are not killed and can continue to multiply inside the body making the person very ill and infecting others too.
- 9. Which one of these statements is true?

Painkillers are used to treat the symptoms of a disease and kill the pathogens which cause it

Painkillers are used to kill the pathogens causing a disease

Painkillers are used to treat the symptoms of a disease but do not kill the pathogens.



LearnIT! KnowIT!

Infection and Response Part 2

- Discovery of Drugs
- Development of Drugs
- Monoclonal Antibodies (Biology HT only)





Infection and Response part 2 – Discovery & drug development

Traditionally drugs were extracted from plants and micro-organisms.



Aspirin is a painkiller and anti-inflammatory drug.
This was first found in willow bark.



Foxglove plants have been a source of the drug digitalis which acts on the **heart**.



is famous for discovering **Penicillium** mould.



Fleming noticed the fungus on unwashed equipment and went on to discover its antibiotic properties.



Infection and Response part 2 – Development of drugs

Most new drugs are developed and synthesised (made) in a laboratory by chemists in the pharmaceutical industry. The initial chemical may have been sourced from a plant.

New drugs must be tested and trialled to check:

- ✓ **Efficacy** that the drugs work
- ✓ Toxicity that the drug is not poisonous
- ✓ Dose the most suitable amount to take



Preclinical tests must be carried out before humans are allowed to take the drug.

These preclinical tests are done on cells, tissue samples and live animals.



Infection and Response part 2 – Drug development

If successful the new drug will proceed to a clinical trial.

The stages of a clinical trial are:

Stage 1

 Healthy volunteers try small doses of the drug to check it is safe and has no side effects

Stage 2

 A small number of patients try the drug at a low dose to see if it works

Stage 3

• A larger number of patients take the new drug and different doses are trialled to find the **optimum dose**

Stage 4

• A double blind trial will occur to see how effective the new drug is. The patients are divided into groups

<u>video</u>



Infection and Response part 2 – Drug development

A double blind trial is carried out on patients who have the disease to make sure that it is actually the drug which is having an effect on the patients and not anything else.

The details of everyone taking part in the trial is entered into a computer database. The computer groups people randomly.

Each person receives a unique code and they receive the medicine which is labelled with the matching code.

No-one knows who is receiving the real drug or a placebo until the end of the trial.

The placebo is often the drug the patient was originally taking so they still receive medical treatment.




Monoclonal antibodies are identical copies of one type of antibody produced in a laboratory.

How to produce monoclonal antibodies:

- 1. A mouse is **injected** with a pathogen
- 2. White blood cells called **lymphocytes** produce **antibodies**
- 3. Lymphocytes are removed from the mouse and fused with rapidly dividing mouse tumour cells
- 4. The new cells are called hybridomas.
- 5. The hybridomas divide rapidly and release lots of **antibodies** which are then collected.

Mono = one







Monoclonal antibodies are **specific** to one **binding site** on the **antigen**.

This means that we can use monoclonal antibodies to target a specific chemical or specific cells in the body.



During pregnancy, a **hormone called HCG** is released into the blood. **Monoclonal antibodies** can detect the presence of this chemical at low levels and are used in **pregnancy** testing kits.

Monoclonal antibodies are also used in treating some cancers.

- The monoclonal antibodies are specific to the antigen on the cancer cells.
 - A chemical which stops cells dividing can be bound to the monoclonal antibodies.
- The patient is given the monoclonal antibodies and they attach to receptors on the cancer cells.
- The chemical stops the cancer cells growing and dividing.



Infection and Response part 2 - Monoclonal antibodies (Biology HT)

Monoclonal antibody research has raised some concerns about their **ethical** use.

Mice are injected with pathogens and so they will **experience** the **disease** symptoms.



Mice provide antibody producing cells and tumour cells. Mice are induced with cancer to get the tumour cells.

Monoclonal antibodies have been successful in treating some cancers and diabetes. But there have been deaths when used to treat patients with multiple sclerosis (MS).

Herceptin is used for breast cancer. It is **not toxic** and is **specific** to breast cancer cells so **few side effects**. But it is **costly**.



QuestionIT!

Infection and Response Part 2

- Discovery of Drugs
- Development of Drugs
- Monoclonal Antibodies (Biology HT only)





1. Choose the answer from the box to complete the sentences.

Willow tree bark Foxgloves Laboratory Mould

Digitalis is a drug used for heart conditions.

It originates from ______.

Aspirin is a drug used as a painkiller.

It originates from _____.

Penicillin is an antibiotic drug.

It originates from _____



- 2. Any potential new drug has to go through a series of tests.
 - What is meant by the following terms?
 - a) Efficacy

- b) Toxicity
- c) Optimum dose
- 3. Number these statements to show how drugs are tested.
 - Drugs are trialled on live animals
 - Drugs are trialled on people with the disease the drug is for
 - Drugs are trialled in laboratories on cells and tissue cultures
 - Drugs are trialled on healthy volunteers
- 4. Drugs companies often use a placebo in their trials.
 - a. What is a placebo? b. Why is it used?

Questions for Biology HT only

5. Place the statements in the correct order to show how			
	monoclonal antibodies are produced.		
	Mouse lymphocytes produce antibodies.		
	The antibodies are collected and purified.		
	Mouse lymphocytes are collected.		
	Mouse is injected with a pathogen.		
	Hybridoma cells are separated and cultured to form a clone.		
	Mouse lymphocyte and mouse tumour cell are fused.		
	The clone produces large quantities of antibody.		



6. What are the applications of monoclonal antibodies?

7. Why do some people feel the use of monoclonal antibodies is unethical?



AnswerIT!

Infection and Response Part 2

- Discovery of Drugs
- Development of Drugs
- Monoclonal Antibodies (Biology HT only)





1. Choose the answer from the box to complete the sentences.

Willow tree bark Foxgloves Laboratory Mould

Digitalis is a drug used for heart conditions.

It originates from **Foxgloves.**

Aspirin is a drug used as a painkiller.

It originates from willow tree bark.

Penicillin is an antibiotic drug.

It originates from **mould**.



- 2. Any potential new drug has to go through a series of tests.
 - What is meant by the following terms?
 - a) Efficacy how effective the drug is
 - b) Toxicity how poisonous the drug is
 - c) Optimum dose minimum amount of the drug which provides the best response
- 3. Number these statements to show the process of drug testing.
 - 2. Drugs are trialled on live animals
 - 4. Drugs are trialled on people with the disease the drug is for
 - 1. Drugs are trialled in laboratories on cells and tissue cultures
 - **3.** Drugs are trialled on healthy volunteers



- 4. Drug companies often use a placebo in their trials.
- a. What is a placebo?

A medicine that does not contain the drug that is being trialled.

b. Why is it used?

A placebo is used to check that there are no other factors which may cause the patient's condition to improve without the drug.

Questions for Biology HT only

- 5. Place the statements in the correct order to show how monoclonal antibodies are produced.
- 2. Mouse lymphocytes produce antibodies.
- 7. The antibodies are collected and purified.
- 3. Mouse lymphocytes are collected.
- 1. Mouse is injected with a pathogen.
- 5. Hybridoma cells are separated and cultured to form a clone.
- 4. Mouse lymphocyte and mouse tumour cell are fused.
- 6. The clone produces large quantities of antibody.



6. What are the applications of monoclonal antibodies?

Pregnancy testing

Used to measure levels of hormones and other chemicals in blood

Treat some cancers by delivering a toxic drug to the cancer cells

To find various molecules in cells or tissues by binding to them with a

fluorescent dye

7. Why do some people feel the use of monoclonal antibodies is unethical?

Mouse has to suffer the disease deliberately

Mouse is induced to have cancer

Treatment not always safe

It's very expensive and money could be better used



LearnIT! **KnowlT!**

Part 3

Plant Disease (biology only)







Plants suffer from a range of infections caused by pathogens or insect pests. We can detect a plant is diseased by these signs:



Unusual growths



Spots or discoloured leaves




Malformed leaves or stems



Infection and Response part 3 – Plant disease (Biology HT)







If a plant disease is suspected then it may be identified using:

- √ Gardening manuals
- √ Gardening websites
- ✓ Test kits containing monoclonal antibodies
- ✓ Taking infected plants to a laboratory to identify the pathogen





Healthy plants need mineral ions.
Nitrate ions are needed in protein synthesis and hence growth.

Horticulturists use knowledge about the effect of ion deficiencies to supply plants with optimum conditions.



Nitrate ions = healthy growth Lack of nitrate = stunted growth Magnesium = healthy chlorophyll Lack of magnesium = chlorosis (yellowing of leaves due to lack of chlorophyll)



Infection and Response part 3 – Plant disease (biology only)





Thick waxy layers, tough cellulose cell walls and bark defend the plant from pathogen entry



Antibacterial and poisonous chemicals are found in many plants like witch hazel.

<u>video</u>

Mechanic

Plants have several ways of defending themselves from pathogens and to deter herbivores.

Mechanical Color



Touch can make
Mimosa leaves
suddenly curl which
frightens animals



Thorns make plants painful to be eaten



QuestionIT!

Infection and Response Part 3

Plant Disease (biology HT only)





- 1. Name 3 ways you can detect that a plant is diseased.
- 2. Copy and complete the table below:

Type of plant defence used (Mechanical, physical or chemical)	What is the plant being defended from?	Describe the defence being used
	Herbivores eating it	Thorns or hairs
Chemical		The chemical released is antibacterial
	Herbivores and pathogen entry	Dead bark coating which falls off
Physical	Insects such as aphids	



- 3. Describe why nitrate ions are very important for plants.
- 4. What is chlorosis and how can it be prevented?
- 5. Why would a test kit containing monoclonal antibodies be useful to detect plant disease?



AnswerIT!

Infection and Response Part 3



Plant disease (biology only)



1. Name 3 ways you can detect that a plant is diseased.

leaf spots/discolouration, growths, malformed stems or leaves, presence of pests, stunted growth, areas of decay (rot)

2.	Type of plant defence used (mechanical, physical or chemical)	What is the plant being defended against?	Describe the defence being used
	Mechanical	Herbivores eating it	Thorns or hairs
	Chemical	Pathogens/bacteria Herbivores/animals	The chemical released is antibacterial or poisonous
	Physical	Herbivores and pathogen entry	Dead bark coating which falls off
	Physical	Insects such as aphids	Waxy cuticle/cellulose cell walls are hard to penetrate



- Describe why nitrate ions are very important for plants.
 Nitrate is crucial for protein synthesis and hence growth. Without sufficient nitrate ions, the plant would be stunted.
- 4. What is chlorosis and how can it be prevented?

 Chlorosis is the yellowing of the leaves. It can be prevented by providing the plant with magnesium.
- 5. Why would a test kit containing monoclonal antibodies be useful to detect plant disease?
 - The monoclonal antibodies can be used to detect a particular chemical which is only present in one type of pathogen. This would then show whether the plant was infected with this disease or not.